



Mark Scheme (Results)

Summer 2025

Pearson Edexcel GCE
AS Mathematics (8MA0)
Paper 21 Statistics

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2025

Question Paper Log Number P76377A

Publications Code 8MA0_21_2506_MS

All the material in this publication is copyright

© Pearson Education Ltd 2025

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

EDEXCEL GCE MATHEMATICS

General Instructions for Marking

1. The total number of marks for the paper is 30.
2. The Edexcel Mathematics mark schemes use the following types of marks:
 - **M** marks: method marks are awarded for 'knowing a method and attempting to apply it', unless otherwise indicated.
 - **A** marks: Accuracy marks can only be awarded if the relevant method (M) marks have been earned.
 - **B** marks are unconditional accuracy marks (independent of M marks)
 - Marks should not be subdivided.
3. Abbreviations

These are some of the traditional marking abbreviations that will appear in the mark schemes.

- bod – benefit of doubt
 - ft – follow through
 - the symbol $\checkmark$ will be used for correct ft
 - cao – correct answer only
 - cso - correct solution only. There must be no errors in this part of the question to obtain this mark
 - isw – ignore subsequent working
 - awrt – answers which round to
 - SC: special case
 - oe – or equivalent (and appropriate)
 - dep – dependent
 - indep – independent
 - dp decimal places
 - sf significant figures
 - * The answer is printed on the paper
 - $\square$ The second mark is dependent on gaining the first mark
4. For misreading which does not alter the character of a question or materially simplify it, deduct two from any A or B marks gained, in that part of the question affected.
 5. Where a candidate has made multiple responses and indicates which response they wish to submit, examiners should mark this response.
If there are several attempts at a question which have not been crossed out, examiners should mark the final answer which is the answer that is the most complete.

6. Ignore wrong working or incorrect statements following a correct answer.
7. Mark schemes will firstly show the solution judged to be the most common response expected from candidates. Where appropriate, alternative answers are provided in the notes. If examiners are not sure if an answer is acceptable, they will check the mark scheme to see if an alternative answer is given for the method used.

Question	Scheme	Marks	AOs
1(a)	awrt 0.173	B1	1.1b
		(1)	
(b)	awrt 0.191	B1	1.1b
		(1)	
(c)	awrt 0.191	B1ft	2.2a
		(1)	
(3 marks)			
Notes			
(a)			
B1: calc gives 0.172968...			
(b)			
B1: calc gives 0.191004... do not isw if e.g. $1 - 0.191 = 0.809$ is then found			
(c)			
B1ft: ft their answer to (b) to 3sf or better only ft $0 < \text{“their (b)”} < 1$			
SC: For all correct answers given to 2sf i.e. (a) 0.17 (b) 0.19 (c) 0.19 score B0B0B1ft			

Question	Scheme	Marks	AOs
2(a)	Census	B1	1.2
		(1)	
(b)(i)	$1018 - (1025 - 1018) \times 1.5 (= 1007.5)$	M1	2.1
	$(1007 < 1007.5)$ There is one outlier/1007 is an outlier	A1	1.1b
		(2)	
(b)(ii)	Lower whisker drawn to 1009 and a single outlier at 1007	B1ft	2.2a
	Allow lower whisker to end at 1007.5 or 1009		
		(1)	
(c)	$184 - 161 = 23$ days with “Moderate” Windspeed	M1	2.4
	$23 \times 0.25 = 5.75$, so 6 days.	A1	2.2b LDS
		(2)	
(6 marks)			
Notes			
(a)			
B1: cao			
(b)(i)			
M1: finding the correct IQR for “light days” and using it to calculate the lower outlier limit (implied by a correct lower limit 1007.5)			
A1: correct outlier limit with correct conclusion Note: 1007 on its own with no supporting working is M0A0.			
(b)(ii)			
B1ft: correct lower whisker drawn to 1009 and single outlier marked at 1007 or correct ft their conclusion to part (b)(i) i.e. if they state there are no outliers, then the lower whisker must be drawn to 1007			
(c)			
M1: using knowledge of LDS to find the number of days with “Moderate” Windspeed. Allow use of 180 to 185. Implied by an answer of 5.75 <u>or</u> 19 to 24 from correct knowledge of LDS			
A1: allow 5 or 6 days Correct answer only M1A1.			

Question	Scheme	Marks	AOs
3(a)	$p + 0.2 + 4p = 1$	M1	1.1b
	B(inomial)	M1	3.3
	$n = 40 \quad p = 0.16$	A1	1.1b
		(3)	
(b)(i)	$H_0 : p = 0.2 \quad H_1 : p > 0.2$	B1	2.5
	$[X \sim] B(40, 0.2)$	M1	3.3
	$[P(X \geq 11) = 1 - 0.8392\dots] = 0.1607\dots$ awrt 0.16	A1	3.4
	[Do not reject H_0 /not significant...] There is insufficient evidence to support Jayda's belief.	A1	2.2b
		(4)	
(ii)	Require $P(X \leq k) > 0.95$ so $[P(X \leq 11) =] 0.9125$ or $[P(X \leq 12) =] 0.9568$	M1	3.4
	$[0 \leq] X \leq 12$	A1	1.1b
		(2)	
(9 marks)			
Notes			
(a) M1: use of sum of probabilities = 1 (may be implied by $p = 0.16$) M1: identifying the B(inomial) distribution to model this situation (must be seen in part (a)) A1: both correct parameters $n = 40$ and $p = 0.16$ Answer only B(40, 0.16) scores M1M1A1.			
Mark (b)(i) and (b)(ii) together			
(b)(i) B1: both hypotheses correct in terms of p or π M1: writing or using Binomial (40, 0.2) (implied by awrt 0.16 or awrt 0.073) A1: awrt 0.16 If $P(X \geq 11) =$ awrt 0.16 is seen, isw if a different p-value is stated. Watch out $[P(X = 8) =] 0.156$ and is A0 A1: dep on M1A1 (but independent of hypotheses) for suitable conclusion in context that suggests Jayda's belief is not supported or states that there is not enough evidence that the proportion/probability of green counters in the bag is greater than 0.2 with bold words oe Do not allow number for proportion/probability Allow not increased/not changed/is 0.2 for not greater than 0.2 A0 for contradictory statements e.g. Reject $H_0 \therefore$ Jayda's belief is not supported. SC: Use of critical region without stating p-value can score max B1M1A0A1 The final A1 is for the correct contextual conclusion and a correct CR $X \geq 13$ seen (allow any letter) or equivalent.			

(b)(ii)

- M1:** Use of $B(40, 0.2)$ to find a relevant acceptance region probability
i.e. awrt 0.91 or awrt 0.96 or awrt 0.088 or awrt 0.043
Allow if these are seen in part (b)(i) as part of a critical region approach
- A1:** correct acceptance region or equivalent, e.g. $X < 13$. Allow any letter. May be stated in words. Correct acceptance region on its own scores M1A1.
Do **not** allow probability statements for acceptance region e.g. $P(X < 13)$
- SC:** Use of a two-tailed test in (b)(i) leading to an acceptance region of $3 \leq X \leq 13$
scores M1A0

Question	Scheme	Marks	AOs
4(a)	$\sigma = \left[\sqrt{\frac{S_{cc}}{n}} = \sqrt{\frac{394}{25}} \right] = 3.9698...$ awrt <u>3.97</u>	B1	1.1b
		(1)	
(b)(i)	$b = \frac{-3.5}{500}$ or $16.5 = a + 2200b$	M1	2.2a
	$= \underline{\underline{-0.007}}$	A1	1.1b
		(2)	
(b)(ii)	$20 = a + \text{"-0.007"}(1700)$ or $20 = a + 1700b$	M1	2.2a
	$= \underline{\underline{31.9}}$	A1	1.1b
		(2)	
(5 marks)			
Notes			
(a)			
B1: awrt 3.97 (allow $s =$ awrt 4.05)			
Mark (b)(i) and (b)(ii) together			
(b)(i)(ii)			
M1: deducing that the first bullet point can be used to : Either set up a correct numerical expression for b (allow $\pm$) implied by ± 0.007 or $\pm \frac{3.5}{500}$ or write a correct equation from the first bullet point e.g. $16.5 = a + 2200b$ Allow equivalent use of the first bullet point e.g. $(20 - 3.5k) = a + (1700 + 500k)b$ NB: $(\pm)3.5 = a + 500b$ is M0 A1: -0.007 oe (allow standard form) correct answer scores M1A1. M1: using the second bullet point with their value of b to find a Either substituting “their b” into $20 = a + 1700b$ oe e.g. $20 - \text{“their } b\text{”} \times 1700$ or writing the correct equation $20 = a + 1700b$ oe A1: 31.9 oe correct answer scores M1A1.			

Questi	Scheme	Marks	AOs
5(a)	$[u =] 0.23$	B1	1.1b
		(1)	
(b)	$p + q + s + t = 0.55$ and $r + 0.55 + u = 1$ $[r =] 0.22$	M1 A1	3.1a 1.1b
		(2)	
(c)	$q + s = 0.18$	M1	2.2a
	$P(B) = \text{“}0.22\text{”} + 0.18$ $P(A) = \text{“}0.22\text{”} + 0.18 - 0.1$ and $P(A \text{ and } B) = 0.3 \times 0.4 = 0.12$	M1	2.1
	$q = 0.12$ and $s = 0.06$	A1	1.1b
	$p = 0.18$ and $t = 0.19$	A1	1.1b
		(4)	
(7 marks)			
Notes			
Mark parts (a), (b) and (c) together			
(a)			
B1:	0.23 oe		
(b)			
M1:	For realising $P(A) + P(C) = p + q + s + t = 0.55$ and $r + 0.55 + \text{“their } u\text{”} = 1$		
A1:	0.22 oe		
(c)			
M1:	Writing or using $q + s = 0.18$ (implied by “their q ” + “their s ” = 0.18) implied by $P(B) = 0.4$		
M1:	Use of 4 th and 5 th bullet points:		
	For 4 th bullet point accept:		
	$P(A) \times P(B) = P(A \text{ and } B)$ $P(A) \times P(B) = q$ (may see substitution of their values) $(p + q) \times (q + r + s) = q$ (may see substitution of their values)		
	For 5 th bullet point accept:		
	$P(A) = 0.3$ and $P(B) = 0.4$ $(q + r + s) = (p + q) + 0.1$ (may see substitution of their values) $P(B) = \text{“their } r\text{”} + 0.18$ and $P(A) = \text{“their } r\text{”} + 0.08$		
	Correct values for q and s imply M1M1		
A1:	$q = 0.12$ oe and $s = 0.06$ oe		
A1:	$p = 0.18$ oe and $t = 0.19$ oe		

